

## CBF-Series Carbon Block Cartridges

**AXEON CBF - Series Carbon Block Cartridges** are available in 2.5" and 4.5" diameters and provide an economical and high quality option for numerous pre- and post-filtration applications. These carbon blocks fit most standard size filter housings. AXEON CBF - Series Carbon Blocks feature acid-washed, high purity coconut based activated carbon. The carbon used in these cartridges has been specifically developed to reduce chlorine, sediments, color, soluble organic compounds (SOC) and volatile organic compounds (VOC). With high chlorine reduction, and reduced carbon particulates or particles, you will soon make the CBF - Series your carbon block of choice. AXEON CBF - Series Carbon Blocks provide solutions for a variety of uses including point-of-use and point-of-entry residential and commercial applications.

### Features

- Reduce odor, chlorine, SOC's and VOC's from drinking water\*
- Improves taste
- High chlorine removal capacity
- Utilizes the industry's leading carbon filtration technology\*
- High purity coconut-based carbon
- Standard nominal micron ratings available
- Superior quality and cost savings
- Certified to NSF Standard 42
- FDA Listed Materials





Tested and Certified by NSF International against ANSI/NF Standard 42 for material requirements only.



Engineered Water Treatment Solutions

## CBF-Series Carbon Block Cartridges

Part Number	Model	Diameter in (cm)	Length in (cm)	Micron Rating	Case Quantity	Box Dimension in (cm)	Approximate Weight by case (lbs.)
200656	CBF-25-1005	2.50 (6.35)	10.00 (25.40)	5	20	15.50 X 10.50 X 12.50 (39.37 X 26.67 X 31.75)	19
200658	CBF-25-1010	2.50 (6.35)	10.00 (25.40)	10	20	15.50 X 10.50 X 12.50 (39.37 X 26.67 X 31.75)	19
200657	CBF-25-2005	2.50 (6.35)	20.00 (50.80)	5	12	21.00 X 9.50 X 12.50 (53.34 X 24.13 X 31.75)	23
200659	CBF-25-2010	2.50 (6.35)	20.00 (50.80)	10	12	21.00 X 9.50 X 12.50 (53.34 X 24.13 X 31.75)	23
200660	CBF-45-1005	4.50 (11.43)	10.00 (25.40)	5	12	15.50 X 11.50 X 20.50 (39.37 X 29.21 X 52.07)	37
200662	CBF-45-1010	4.50 (11.43)	10.00 (25.40)	10	12	15.50 X 11.50 X 20.50 (39.37 X 29.21 X 52.07)	37
200661	CBF-45-2005	4.50 (11.43)	20.00 (50.80)	5	6	15.50 X 10.50 X 22.00 (39.37 X 26.67 X 55.88)	37
200663	CBF-45-2010	4.50 (11.43)	20.00 (50.80)	10	6	15.50 X 10.50 X 22.00 (39.37 X 26.67 X 55.88)	37



### Technical Data

- Filter Media: Acid-Washed Coconut Based Carbon
- End Caps: Polypropylene
- Outer Wrap: Polypropylene
- Inner Wrap: Polypropylene
- Netting: Polypropylene
- Gaskets: Neoprene
- Temperature Range: 40°F to 180°F (4.4°C to 82.2°C)

\* Weights, chlorine capacity, micron rating, pressure drop, percent efficiency and initial D P (PSI) @ flow rate tested by manufacturer and independent laboratory. Not performance tested or certified by NSF.

WARNING: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system

NOTE: Performance capacity depends on system design, flow rate and certain other application conditions. CBF Series cartridges will contain a very small amount of carbon fines (very fine black powder). After installation follow the instructions for flushing the cartridge to remove all traces of the fines before using the water. You should run (flush) the water in the tap at least 20 seconds prior to using water for drinking or cooking purposes. This is particularly important if the tap has not been used daily.

NOTE: Micron ratings based on 85% or greater removal of given particle size.